Please p	rint or type. (Form designe	ed for use on elite (12-pitch) typewriter.)							OMB No. 2050-003
11	IFORM HAZARDOUS 1	WAD 80138340	1 1-	nergency Respons 800-424-93	00		<u>036</u>		9 JJK
P.	erator's Phone:	Address VORKS ATTLE, WA 98124-3546 6-382-8379	Genei	ator's Site Address	(if different t	han mailing addres			
	ransporter 1 Company Name	SLT					RO	2000	7708
	ransporter 2 Company Name					U.S. EPAID N			
81 To	esignated Facility Name and some Second Resources City 13 W. Sherman Sileson, AZ 85353- liteson, AZ 85353- lity's Phone: 600-972-	a. 4025				U.S. EPAID N		073	5 5 0 0
9a. HM	9b. U.S. DOT Description	(including Proper Shipping Name, Hazard Class, ID No.	umber,	10. Contai No.	ners Type	11. Total Quantity	12. Unit Wt./Vol.	13. W	aste Codes
GENERATOR —	RQ, Hazardous (F006), 9, NA30	waste, solid, n.o.s., 177, III		001	C F	1704	P	F006	
GENE 	2.		1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 - 1900 -				: .		
	3.						,		
	4								
	marked and labeled/placarde Exporter, I certify that the cor I certify that the waste minim	S CERTIFICATION: I hereby declare that the contents ad, and are in all respects in proper condition for transp stents of this consignment conform to the terms of the ization statement identified in 40 CFR 262.27(a) (if I an	ort according to applicable in attached EPA Acknowledgm n a large quantity generator)	nternational and nate ant of Consent.	ional govern	mental regulations.		ipment and I a	n the Primary
	erator's/Offeror's Printed/Type	d Name 1. Thompson	Signature	1/50			•	Mont 1/2	
16. I	nternational Shipments asporter signature (for exports	Import to U.S.	Export from U.S.	Port of er Date leav	•				
G 7	Fransporter Acknowledgment o	f Receipt of Materials							
	sporter 1 Printed/Typed Name	Walker	Signature	ety ?	Va	lken		Monti	1/2 17
_	sporter 2 Printed/Typed Name		Signature					Mont	n Day Year
 	Discrepancy Discrepancy Indication Space	Quantity Typ	ре	Residue		Partial Reje	ection		Full Rejection
18b.	Alternate Facility (or Generate			Manifest Reference	e Number:	.U.S. EPA ID N	lumber		
_	lity's Phone: Signature of Alternate Facility	(or Generator)			Na San			Mon	th Day Year
19.1	Hazardous Waste Report Mana	agement Method Codes (i.e., codes for hazardous was	ite treatment, disposal, and	ecycling systems)		14			
i L	· · · · · · · · · · · · · · · · · · ·	39 2	3,		40:	4.	. 141		
· -	Designated Facility Owner or Control of Cont	Operator: Certification of receipt of hazardous materials	covered by the manifest ex Signature	cept as noted in Ite		d,		Moni	h Day Year
PA Forr		evious editions are obsolete.		- 6	~	DESIGNATI	ED FAC		

Ple	ase pri	nt or type. (Form desig	ned for use on e	lite (12-pitch) typew	vriter.)						Forn	n Approved.	OMB No. 2	050-0039
\bigcap	UNIF	ORM HAZARDOUS ASTE MANIFEST	1. Generator ID N	umber 3 8 0 7 3 8	5 4 6	2. Page 1 o	l l	rgency Response 00-424-93		4. Manifest		umber 982	9 JJ	K
	ALA P. (nerator's Name and Mailin ASKAN COPPE 5. Box 3548, SI	r works	VA 98124-35	46		Generat	or's Site Address	(if different t	han mailing addres				
	6. Tra	rator's Phone: Insporter 1 Company Nam Insporter 2 Company Nam	SL							U.S. EPA ID N	13 0		» 7ŋ.	rDY'
		•								U.G. EFAIDI	Idilibei			
	811 Toll	signated Facility Name and Resources C 3 W. Sherman reson, AZ 8535; bys Phone: 800-97;	S1. 3-4025							U.S. EPAID N		073	5 5 0	Ó
	9a.	9b. U.S. DOT Description	on (including Prope	r Shipping Name, Haz	ard Class, ID Numbe	er,		10. Contai	ners Type	11. Total Quantity	12. Unit Wt./Vol.	13. W	/aste Codes	
		RQ, Hazardou (F006), 9, NA3		olid, n.o.s.,								F006		
GENERATOR	<u> </u>	2.						Ø4.1	CF	1704	P			
		3.												
		4.					-			**				
	14. Sr	pecial Handling Instructions つ、ど へつ 〇	s and Additional Inf 【 G イラ	formation				•						
	Use	CHEMTREC C	ompany co	de "WORR"	. Wear glov	res and g	oggle	· •	ŧ					
	n	SENERATOR'S/OFFEROR narked and labeled/placare Exporter, I certify that the concertify that the waste mining certify that the waste mining	ded, and are in all i ontents of this con:	respects in proper con signment conform to the	dition for transport a he terms of the attac	ccording to application	licable inte wledgmen	mational and nati of Consent.	onal governi	nental regulations.				
		ator's/Offeror's Printed/Typ					gnature ,	1/1	AN .	ورود والمعاددة والمعاددة		Mont		Year
1		上記されている。 emational Shipments		Lacere		<u> </u>	go jekka ang	p. 1 7.1	elf1ese Co				14	
RINT	Trans	porter signature (for export			L	Export from	U.S.	Port of en Date leavi	•					
TER		ensporter Acknowledgment corter 1 Printed/Typed Nam		rials		Qi.	gnature					Monti	n Day	Year
ISPOR	$\int_{-\infty}$	porter 2 Printed/Typed Nam	Wint	Ker			The second second	ta, t	مستهرمي أنججا	: 6/2 <u>.</u>		1/2	1/2	47
→ TRANSPORTE			HE				gnature					Mont	n Day	Year
\uparrow		screpancy iscrepancy Indication Space	ce Quar	ntity	Туре		-	Residue		Partial Reje	ection		Full Rejec	tion
				•	— 		M	anifest Reference	Number:	•				
ILITY	18b. Al	Itemate Facility (or Genera	itor)							U.S. EPA ID N	umber			
D FAC	_	's Phone: gnature of Alternate Facilit	h. (ar Conomics)									LVas	h Day	Vana
DESIGNATED FACILITY										1 2 2 2 2		Mon	th Day	Year
DESIG	19. Ha:	zardous Waste Report Ma	nagement Method	Codes (i.e., codes for 2.	hazardous waste tre	eatment, dispos	al, and rec	ycling systems)		4.				
١I	20 De	·	Operator: Operator:	tion of mariet of h	minum mata-dala carri		ifaat	ot as noted in the	. 100					-
		signated Facility Owner or I/Typed Name	Operator: Certifica	MON OF RECEIPT OF NAZA	iruous materials cove		gnature	pa as noted in iten	1 103	1.1	v	Mont	h Day	Year
₽DΔ	Form i	8700-22 (Rev. 3-05) P	rovious aditions	ara obsolata						****				



WORLD RESOURCES COMPANY

ARIZONA RECYCLING FACILITY

In partnership with the environment

LDRN LAND DISPOSAL RESTRICTION NOTICE



A copy of this Notice must be retained by the Generator for at least three (3) years, pursuant to U.S. EPA Regulation 40 CFR §268.7(a)(8). Moreover, the Generator should check the hazardous-waste regulations of his/her own State, inasmuch as, if there is a State analogue to the federal regulation, it may require a longer retention time, such as five (5) years. It should also be noted that the federal regulation—and, typically, State analogues as well—requires the retention period to be extended further in specified cases.

To:	WORL	D RESOURCES COMPANY	8113 We	est Sherman Str	eet, Tolleson	AZ 85353-4025	
rom:		NY NAME: AN COPPER WORKS	COMPANY P. O. Box	ADDRESS: 3546, SEATTLE, W	A 98124-3546		
MA	NIFEST JMBER:	000369829 55	K	DATE OF SHIPMENT:	12-1	72-07	

This shipment of material is subject to the land disposal restrictions of 40 CFR Part 268.

The applicable land disposal restriction information, provided in accordance with 40 CFR §268.7(a)(2), is as shown in this table

■

	EPA Material Number	Treatability Group non-wastewater	CFR Reference for Treatment Standards 40 CFR §268.40	
SIGNATURE:	151	<i></i>	TITLE: ENTRONMENT	ac Asst.
NAME PRINTED: GERA	aca A. TA	tompon	DATE: 17-17-07	

Instructions for Completion of this Land Disposal Restriction Notice [LDRN]

This LDRN has been prepared based on a listed material—F006—as the primary designation of the material. This designation is based on information furnished by the Generator of the material. While it is believed to be accurate, it is the Generator's responsibility to determine whether his/her material is restricted from land disposal, and to correctly complete the LDR Notice [as stated in 40 CFR §268.7(a)(2)].

An F006 designation on the LDRN *includes* the following constituents: cadmium [D006], chromium [D007], lead [D008], silver [D011], cyanide, and nickel. However, the designation does *not* include arsenic [D004], barium [D005], mercury [D009], or selenium [D010]. If your F006 material contains any of those four constituents not included in the F006 designation, then use the following instructions.

In determining the need for any additional entries on the LDRN for the F006 material, the levels of arsenic, barium, mercury and selenium must be examined to determine if the levels equal or exceed the threshold concentrations of constituents for the Toxicity Characteristic limit as identified in 40 CFR §261.24 (Table 1), as shown in the left-hand column of the table below [as stated in 40 CFR §268.9].

If (after testing or based upon the generator's knowledge of the material) each metal level does not equal the Toxicity Characteristic level shown below, then *no additional entry* is required on the LDR Notice. If the level is known to be or determined to be equal to or above the limit shown below for any of these metals, then the appropriate information corresponding to that individual metal (in the right-hand column below) *must be added* to the LDR Notice.

	E INFORMATION CHARACTERISTIC	APPROPRIATE ENTRY ON LDR NOTICE				
Metal	Concentration Level	EPA Material Number	Treatability Group	CFR Reference for Treatment Standards		
ARSENIC	5.0 mg/l	D004	non-wastewater	40 CFR §268.40		
BARIUM	100.0 mg/l	D005	non-wastewater	40 CFR §268.40		
MERCURY	0.2 mg/l	D009	non-wastewater	40 CFR §268.40		
SELENIUM	1.0 mg/l	D010	non-wastewater	40 CFR §268.40		
and the second second						

FOOG GENERATOR

Material Safety Data Sheet

MSDS ID # AZ-10-C

F006 Recyclable Material (Filter Cake)

Recycler:

World Resources Company

8113 West Sherman Street

Tolleson, Arizona 85353-4025

Tel: 602-233-9166 Fax: 623-936-9164

January 2006 DLS

Call CHEMTREC only in the event of emergencies during shipping that involve a spill, leak, fire or accident (all calls are recorded)

For Emergencies During Shipping in the US or Canada, Day or Night,

Call: CHEMTREC 800-424-9300

Use CHEMTREC Company Code "WORR"

From other countries call: 703-527-3887

Section 1 Material Identification

EPA Waste Classification: F006 Generic Name:

Electroplating/Metal-Finishing Wastewater Treatment Sludge Chemical Family: Metallic (Hydroxide) Precipitates

Synonym: Non-ferrous Metal Hydroxide Filter Cake **DOT Shipping Name:** RQ, Hazardous waste solid, n.o.s. (F006)

DOT Hazard Class: DOT Packing Group:

DOT Identification Number: NA 3077

Guide 171 of the North American Emergency Response Guidebook Applies

Section 2	Hazardous Ingredients			
Ingredient:	CAS Number:	Content (%):	OSHA PEL (8hr TWA):	Toxicology (rat, oral):
Copper Hydroxide	20427-59-2	0 – 30	1.0 mg(Cu)/m3 (Dust)	LD-50 1,000 mg/kg
Nickel Hydroxide	12054-48-7	0 – 15	1.0 mg(Ni)/m³ (Dust)	LD-50 1,500 mg/kg
Calcium Hydroxide	1305-62-0	0 – 15	15.0 mg/m ³ (Dust)	LD-50 7,340 mg/kg
Diatomite	61790-53-2	0 – 10	6.0 mg/m ³ (Dust)	LD-50 Not Determined

Section 3 Physical and Reactivity Data Description:

Solid, Clay-like, Gray/Green

to Brown, Moisture ~ 30 - 80%

Specific Gravity: 2.5 to 3.5 Solubility: Insoluble in Water Density: 50 - 90 lbs/ft

Incompatible Reactivity:

Insignificant

None Known

Boiling Point: Above 2,600°C **Melting Point:**

Above 1,800°C pH: 7.0 to 10.0 Odor: Polymerization:

Section 4 Fire and Explosion Data

Avoid Contact with Acids

Flashpoint: Nonflammable **Special Firefighting Procedures:**

Handling:

Other Protective Equipment:

Decomposition (Due to Fire or Explosion):

Oxidation: Explosive:

None

Stability:

Non-oxidizing Non-explosive

NFPA Fire Diamond



Will Not Occur

Section 5 **Toxicity**

Listed Carcinogen Components: Nickel Toxicology: See Sec. 2 Route of Entry: Inhalation, Ingestion

Section 6 Health Effects and First Aid

Dust may irritate mucous membranes and upper respiratory tract. Remove to fresh air and treat symptoms. Inhalation: Ingestion: Rare in industry. Induce vomiting (do not induce vomiting or give a liquid to an unconscious person) and call a physician.

Eyes: Dust may irritate eyes. Wash with copious amounts of water for 15 minutes, if effects persist, call a physician. Skin

Dust may irritate skin with prolonged contact. Wash with soap and water. Comments: Special attention should be given to employees with anemia, restricted respiratory abilities, lung cancer, permanent kidney damage and

metal-sensitive skin or skin lesions. Unprotected long-term overexposure may cause effects to the following target organs or body

systems - blood, digestive, respiratory, liver, kidneys and skin.

Section 7 Precautions for Safe Handling

Good personal and industrial hygiene should always be practiced. It is recommended that personal protective equipment (PPE) be used

by personnel who will come in contact with this material. The PPE should include eye protection, respirator and gloves.

Keep covered and avoid conditions where wind could cause dispersal. Do not eat, drink or smoke where material is handled to avoid Storage:

inhalation or ingestion. Store in a dry area under cover to protect from rain.

Spills: Use cleaning procedures that avoid creating excessive dust. Vacuum when possible. Package material and ship to consignee or return to

World Resources Company at the above address.

Section 8 **Control Measures Respiratory Protection:** Eye Protection: NIOSH-MSHA approved respirators as required. Safety glasses recommended.

Coveralls are recommended, but not required. **Hand Protection:** Gloves recommended. Section 9 **Generator's Verification** This MSDS describes the material listed in the attached Manifest #: 000369829 ALASKAN COPPER WORKS Company Name:

Company Address: P. O. Box 3546, SEATTLE, WA 98124-3546 Telephone: 206-382-8379 Date: Signature:



GENERAL INTERNAL PURCHASE REQUISITION

ITEM NO.	ACCT. NO.	QUAN- TITY	UNIT	DESCRIPTION & PART NUMBERS	UNIT PRICE	TOTAL LINE
1	6686	1		Recycle & TRANSPORT	695	
		4,14,4	,	Recycle & TRANSPORT F-006 Studge		
		7	200.00			
2 () () () () () () () () () (\$ 150 S	No. 1 of	14 14	RMC 44760	A Novel	
	N. (1.5.) V					. 3.
1. 3		W.A.			· 4.10 a.	
1.5	74.1	, , , , , , , , , , , , , , , , , , ,				
100		1000				
N. S	19.00	31.				
						P 1
, 3		1 .				
	14.7 6					
	1, 11	i i				
: 1						
<u> </u>	10 L					
	55,5,5	***				
	2					The column of the collection described in the columns.
REQUE	STED BY		Specialist and state of the sta	DATE APPROVED BY	DATE	
	HERE FOR RET	URN OF YEL	LOW COP	TO BE FILLED IN BY PURCHASING DEPT		
	SE OR USE			P.O. NUMBER 11/0/6	A ware	
_DELIVI	ERY NEEDED E	BY		VENDOR		
SHIPT	O ADDRESS			CONTACT TELEFINO.	PHONE	
VENDO	ESTED OR Rev. 7/96	9000	K	Sources O DELIVERY PROMISED SHIP	VIA	



GENERAL INTERNAL PURCHASE REQUISITION

ITEM NO.	ACCT. NO.	QUAN- TITY	UNIT	DESCRIPTION &		P	JNIT RICE	TOTAL LINE
7	6-686	1	EA	Becycle &	VAUSPOUT	G	75 25	
				Recycle &	Slucke			
	e e e e e e e e e e e e e e e e e e e							
	- PARTICIPA.							
				RMC 447	460			
						nd de la companya de	22 (2004)	
								By and the second
1								
						3		
	11					000		
REQUI	STED BY			DATE APPE	ROVED BY		DATE	
ÖΖ	HERE FOR RET	TURN OF YEL	LOW COP		FILLED IN BY PURCHASING			
PURPO	OSE OR USE			P.O. N	IUMBER /// C	01645		
DELIVI	ERY NEEDED (3Y		VENI	DOR	TELEPHONE		
	O ADDRESS			CON		NO.		
VENDO		9665		SURCES (6 PROM	MISED	SHIP VIA		

********** TX REPORT *** *************

TRANSMISSION OK

TX/RX NO

CONNECTION TEL

SUB-ADDRESS

CONNECTION ID

ST. TIME USAGE T

PGS. RESULT 3659

916239368102

12/18 12:12

01'21

2

OK



WORLD RESOURCES COMPANY

ARIZONA RECYCLING FACILITY

In partnership with the environment

LAND DISPOSAL RESTRICTION NOTICE



A copy of this Notice must be retained by the Generator for at least three (3) years, pursuant to U.S. EPA Regulation 40 CFR §268.7(a)(8). Moreover, the Generator should check the hazardous-waste regulations of his/her own State, inasmuch as, if there is a State analogue to the federal regulation, it may require a longer retention time, such as five (5) years. It should also be noted that the federal regulation-and, typically, State analogues as well-requires the retention period to be extended further in specified cases.

To: | WORLD RESOURCES COMPANY |

COMPANY NAME:

ALASKAN COPPER WORKS

8113 West Sherman Street, Tolleson AZ 85353-4025

COMPANY ADDRESS:

P. O. Box 3546, SEATTLE, WA 98124-3546

MANIFEST

From:

NUMBER: 1000369829 JJK

DATE OF SHIPMENT:

This shipment of material is subject to the land disposal restrictions of 40 CFR Part 268. The applicable land disposal restriction information, provided in accordance with 40 CFR §268.7(a)(2), is as shown in this table #

*	EPA Material	Treatability	CFR Reference for
	Humber	C roup	Treatment Standards
- 9	/ F006	non-wastewater	40 CFR §268.40

SIGNATURE:

NAME PRINTED:

DATE:

f this Land Disposal Restriction Notice (LDRN)

This LDRN has been prepared based on a listed material-F006-as the primary designation of the material. This designation is based on information furnished by the Generator of the material. While it is believed to be accurate, it is the Generator's responsibility to determine whether his/her material is restricted from land disposal, and to correctly complete the LDR Notice [as stated in 40 CFR §268.7(a)(2)].

An F006 designation on the LDRN *includes* the following constituents: cadmium [D006], chromium [D007], lead [D008], silver [D011], cyanide, and nickel. However, the designation does *not* include arsenic [D004], barium [D005], mercury [D009], or selenium [D010]. If your F006 material contains any of those four constituents not included in the F006 designation, then use the following instructions.

In determining the need for any additional entries on the LDRN for the F006 material, the levels of arsenic, barium, mercury and selenium must be examined to determine if the levels equal or exceed the threshold concentrations of